

ExamsNest

Your Ultimate Exam Preparation Hub

Vendor: API Code: API-580

Exam: Risk Based Inspection

https://www.examsnest.com/exam/api-580/

QUESTIONS & ANSWERS
DEMO VERSION

QUESTIONS & ANSWERS DEMO VERSION (LIMITED CONTENT)

Version: 6.0

Question: 1			
Rbi may include methodolog maintaining	gies to assess	the effectiveness	of the management systems in
A. Mechanical integrityB. Total asset integrityC. Plant integrity			
			Answer: A
Question: 2			
Equipment reliability is especia	ally important if	leaks can be caused	by
A. Secondary failures, such as leak B. Primary failures such as leak C. Tertiary failures due to valve	due to severe o		
			Answer: B
Question: 3			
Reliability efforts, such as relia	bility centered	maintenance (rem),	can be linked with rbi, resulting in
an integrated program to			
A. Reduce downtime in an ope	_		
B. Reduce operating time of a u C. To reduce risk by mitigation			
			Answer: A
Question: 4			
In jurisdictions that permit the	application of t	he API Inspection Co	des and standards
A. Rbi should be an acceptable B. Rem should be an acceptable C. Pha		•	
			Answer: A

Question: 5	
to be established to judge acceptability of risk could	-
assessment if such criteria do not exist already within the user's company	•
A. Risk criteria	
B. Risk plan	
C. Risk analysis	
_	Answer: A
_	
Question: 6	
- Question: 0	
is usually not the primary objective of a rabi assessmen	nt, but it is frequently a side
effect of optimization.	no, such is in equeliting a side
A. Reducing inspection costs	
B. Increasing inspection costs	
C. Increasing frequency of inspection programs	
	Answer: A
Question: 7	
When the inspection program is optimized based on an understanding	of risk, one or more of the
following cost reduction benefits may be realized. Except one	
A. Ineffective, unnecessary or inappropriate inspection activities may be e	eliminated
B. Effective, necessary or appropriate inspection activities may be eliminate	nted
C. On-line or non-invasive inspection methods may be substituted for inv	vasive methods that require
equipment shutdown	
D. More effective infrequent inspections may be substituted for less effective.	tive frequent inspections
_	Answer: B
_	·

The following are the risks identified by rbi assessment that may be managed by actions other than inspection. Except one

- A. Modification of the process to eliminate conditions driving the risk
- B. Modification of operating procedures to avoid situations driving the risk
- C. Chemical treatment of the process to reduce deterioration rates/susceptibilities
- D. Identifying and detecting deterioration and predicting future deterioration states with advanced inspection technique(s)

	Answer: D
Question: 9	
For qualitative rbi analysis it us important to establish a set of rules to	o assure consistency in
A. Categorization or classificationB. SegregationC. Ranking	
	Answer: A
Question: 10	
Generally, a qualitative analysis using broad ranges requires a than a quantitative approach.	from the user
A. Higher level of judgment, skill and understanding B. Lower level of judgment, skill and understanding	
	Answer: A
Question: 11	
The models are evaluatedto provide both qualitative the level of risk and to identify the design, site, or operational comportant to risk	e and quantitative insights about haracteristics that are the most
A. Probabilistically B. Statistically C. Linearly D. Logically	
	Answer: D
Question: 12	
Potential source of errors in rbi analysis regarding data quality are th	e following except
A. If the base line thickness were not performed the nominal thickness	ess may be used for the original
thickness B. If original thickness not available, averaged ut thickness readings r C. If the original thickness not available, maximum ut thickness readi	•
	Answer: A

Question:	13

Potential source of errors in rbi analysis regarding data quality are the following except

- A. Assumptions in equipment history
- B. Outdated drawings and documentation
- C. Inspector error
- D. Advanced inspection methods

Answer: D

Question: 14

The following assumption can be made that significantly impact the calculated corrosion rate early in the equipment life

- A. If the base line thickness were not performed the nominal thickness may be used for the original thickness
- B. If original thickness not available, averaged ut thickness readings may be used
- C. If the original thickness not available, maximum ut thickness readings may be used

Answer: A



Thank You for trying the PDF Demo

Vendor: API
Code: API-580

Exam: Risk Based Inspection

https://www.examsnest.com/exam/api-580/

Use Coupon "SAVE15" for extra 15% discount on the purchase of Practice Test Software. Test your Exam preparation with actual exam questions.

Start Your Preparation