

ExamsNest

Your Ultimate Exam Preparation Hub

Vendor: HP
Code: HPE7-A08

Exam: HPE Network Switching Professional Exam

https://www.examsnest.com/exam/hpe7-a08/

QUESTIONS & ANSWERS

DEMO VERSION

QUESTIONS & ANSWERS DEMO VERSION (LIMITED CONTENT)

Version: 4.0

Question: 1

Refer to the partial exhibit from an HPE Aruba Networking CX 8325:

```
show interface 1/1/44

Interface 1/1/44 is down (Administratively down)
Admin state is down
State information: No XCVW installed
Link state: down for 1 month (since Tue May 21 17:48:23 UTC 2824)
Link transitions: 6
Description:
Persona:
Hardware: Ethernet, NAC Address: bc:d7:e5:6d:5a:88
MTU 1500
Type --
Full-duplex
qos trust none
Speed 8 Mb/s
Auto-negotiation is off
Flow-control: off
Error-control: off
Els Counters: Rx Disabled, Tx Disabled
Rate collection interval: 300 seconds
```

A new port 1/1/44 needs to be configured to connect to a 29301, which has the following configuration:

```
interface 24
tagged vlan 1,20,24,30,40,50,55,60
untagged vlan 10
exit
```

Which configuration would be used?

```
Α.
```

```
interface 1/1/44
no shutdown
no routing
vlan trunk native 10
vlan trunk allowed 1,10,20,14,30,40,50,55,60
exit
```

В.

```
interface 1/1/44
enable
no routing
vlan trunk native 10
vlan trunk allowed 1,20,24,30,40,50,55,60
exit
```

C.

```
interface 1/1/44
enable
vlan trunk native 18
vlan trunk allowed 1,18,28,24,38,48,58,55,68
exit
```

D.

```
th/t/t
to shring to
to the trunk on
to the trunk net to
to th
```

- A. Option A
- B. Option B
- C Ontion C

D.	\cap	nti	on	D
υ.	\circ	μu	OH	$\boldsymbol{\nu}$

Answer: A

Explanation:

Question: 2

OSPF peering is configured between HPE Aruba Networking CX 6300 switches utilizing BFD. You've made this configuration on switch B, while switch A is in the default configuration:

```
bfd min-receive-interval 2000
bfd min-transmit-interval 2000
bfd min-echo-receive-interval 2000
bfd datect-multiplier 3
```

Which BFD Tx/Rx interval values will switch A use for the show bfd session?

- A. Switch A show BFD sessions using 500ms
- B. Switch A show BFD sessions using 6000ms
- C. Switch A show BFD sessions using 2000ms
- D. Switch A show BFD sessions using 300ms

Answer: C

Explanation:

Question: 3

You have applied the following OSPF configuration but are seeing the output from the command below. What is the reason for this?

Agg-1 Config

vrf orange
router ospf 1 vrf orange
area 0
interface loopback 10
vrf attach orange
ip address 10.3.10.2/32
ip ospf 1 area 0
interface vlan101
ip address 10.3.101.2/24
ip ospf 1 area 0

Agg-2 Config

vrf orange router ospf 2 vrf orange area 0 interface vlan101 vrf attach orange ip address 10.3.101.3/24 ip ospf 2 area 0 Agg-10 show ip ospf neighbors all-vrfs No OSPF neighbors found on any VRF.

A. A loopback interface hasn't been configured on Agg-2

D. OCDE intenference and magnification by defectly

Explanation:

C. A different OSPF process ID is used on e D. A Layer-3 interface has not been associa		
	-	Answer: D
Explanation:		
Question: 4		
You need to run a packet capture on a CX s in real-time. What is the best way to do th		output on a remote device
A. Configure a mirror session using ERSPAI B. Inspect the summary of the packets in r C. Configure a mirror session with another D. Configure a mirror session to the CPU, u	eal time on the switch using tcpdu port on the switch as the destinat	ımp tion
D. Configure a fillitor session to the CPO, t	ise isliark to capture it to a PCAP i	ne
	-	Answer: A
Explanation:		
Question: 5		
When configuring a multicast solution on I configured on the access switch to enable	_	s, what needs to be
A. PIM on VLAN		
B. IGMP-snooping on VLAN		
C. IGMP on VLAN D. IGMP-snooping on SVI		
	-	Answer: B



Thank You for trying the PDF Demo

Vendor: HP

Code: HPE7-A08

Exam: HPE Network Switching Professional Exam

https://www.examsnest.com/exam/hpe7-a08/

Use Coupon "SAVE15" for extra 15% discount on the purchase of Practice Test Software. Test your Exam preparation with actual exam questions.

Start Your Preparation