



ExamsNest

Your Ultimate Exam Preparation Hub

ExamsNest

Your Ultimate Exam Preparation Hub

Vendor: Huawei

Code: H31-311_V2.5

Exam: HCIA-Transmission V2.5

https://www.examsnest.com/exam/h31-311_v25/

QUESTIONS & ANSWERS

DEMO VERSION

QUESTIONS & ANSWERS
DEMO VERSION
(LIMITED CONTENT)

Version: 4.0

Question: 1

When performing fiber cut-off test on an ordinary MSP ring, which of the following alarms will be reported? (Multiple choice).

- A. YOU-AIS
- B. R-LOS
- C. APSJNDI
- D. BD

Answer: B, C

Explanation:

Question: 2

When the bridge uses ivl learning mode, an entry in the MAC address table is created based on the source MAC address and source port of the teach frame. This entry applies to all VLANs

- A. True
- B. False

Answer: B

Explanation:

Question: 3

Compared with dense wavelength division multiplexing (DWDM) systems, crude glass division multiplexing (CWDM) systems provide a certain amount of glass length and transmission distance within (kmkm), which greatly reduces system cost and has strong flexibility

- A. 50
- B. 100
- C. 200
- D. 20

Answer: B

Explanation:

Question: 4

If you group SNCP services with the same source, sink, or route, you can increase the SNCP switching speed

- A. True
- B. Error

Answer: A

Explanation:

Question: 5

The standard Ethernet frame length should not be less than 64 bytes Which of the following factors contribute to this limitation? (Multiple choice).

- A. Minimum transmission distance
- B. Maximum transmission distance
- C. How conflict detection works
- D. MAC address

Answer: B, C

Explanation:



ExamsNest

Your Ultimate Exam Preparation Hub

Thank You for trying the PDF Demo

Vendor: Huawei

Code: H31-311_V2.5

Exam: HCIA-Transmission V2.5

https://www.examsnest.com/exam/h31-311_v25/

Use Coupon “**SAVE15**” for extra 15% discount on the purchase of Practice Test Software. Test your Exam preparation with actual exam questions.

Start Your Preparation