

ExamsNest

Your Ultimate Exam Preparation Hub

Vendor: Huawei Code: H35-561

Exam: HCIP LTE RNP&RNO V1.0

https://www.examsnest.com/exam/h35-561/

QUESTIONS & ANSWERS

DEMO VERSION

QUESTIONS & ANSWERS DEMO VERSION (LIMITED CONTENT)

Version: 5.0

Question: 1	
Which of the following events can be used to trigger inter-frequency swi	tching? (multiple choice)
A. A2	
B. A3	
C. A4	
D. A5	
_	
_	Answer: B, C, D
Overtions 2	
Question: 2	
How many types of TDD uplink and downlink subframe configurations ar	e there?
A. 3	
B. 5	
C. 7	
D. 9	
_	Answer: C
Question: 3	
When X2 handover cannot be performed between eNodeBs, S1 handove	er is performed.
A. True	
B. False	
	Answer: A
Question: 4	
How many configurations are there for R8 TDD special subframe configurations	ration?
A. 3	
B. 5	
C. 7	
D. 9	

	Answer: D
Question: 5	
In which of the following messages will the tracking area information consistency check?	be sent to the MME for
A. S1AP: E-RAB setup request	
B. RRC: RRC connection request	
C. S1AP: Initil context setup request	
D. S1AP: S1 setup request	
	Answer: D



Thank You for trying the PDF Demo

Vendor: Huawei Code: H35-561

Exam: HCIP LTE RNP&RNO V1.0 https://www.examsnest.com/exam/h35-561/

Use Coupon "SAVE15" for extra 15% discount on the purchase of Practice Test Software. Test your Exam preparation with actual exam questions.

Start Your Preparation