

ExamsNest

Your Ultimate Exam Preparation Hub

Vendor: Microsoft

Code: AZ-400

Exam: Designing and Implementing Microsoft DevOps Solutions

https://www.examsnest.com/exam/az-400/

QUESTIONS & ANSWERS
DEMO VERSION

QUESTIONS & ANSWERS DEMO VERSION (LIMITED CONTENT)


Version: 53.1

Question: 1

HOTSPOT

How should you complete the code to initialize App Center in the mobile application? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection a worth one point.



Scenario: Visual Studio App Center must be used to centralize the reporting of mobile application crashes and device types in use.

In order to use App Center, you need to opt in to the service(s) that you want to use, meaning by default no services are started and you will have to explicitly call each of them when starting the SDK.

Insert the following line to start the SDK in your app's App Delete class in the didFinishLaunchingWithOptions method.

MSAppCenter.start("{Your App Secret}", withServices: [MSAnalytics.self, MSCrashes.self])

Reference: https://docs.microsoft.com/en-us/appcenter/sdk/getting-started/ios


Question: 2

HOTSPOT


How should you confrere the release retention policy for the investment planning depletions suite? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Required secrets:



Storage location:




Answer:

Explanation:

Required secrets:

Certificate
Personal access token
Shared Access Authorization token
Username and password

Storage location:



Every request made against a storage service must be authorized, unless the request is for a blob or container resource that has been made available for public or signed access. One option for authorizing a request is by using Shared Key.

Scenario: The mobile applications must be able to call the share pricing service of the existing retirement fund management system. Until the system is upgraded, the service will only support basic authentication over HTTPS.

The investment planning applications suite will include one multi-tier web application and two iOS mobile application. One mobile application will be used by employees; the other will be used by customers.

Reference: https://docs.microsoft.com/en-us/rest/api/storageservices/authorize-with-shared-key

Question: 3

HOTSPOT

You need to configure a cloud service to store the secrets required by the mobile applications to call the share.

What should you include in the solution? To answer, select the appropriate options m the answer area, NOTE: Each correct selection is worth one point.

Required secrets: Certificate Personal access token Shared Access Authorization token Username and password Storage location: Azure Data Lake Azure Key Vault Azure Storage with HTTP access Azure Storage with HTTPS access Answer: Explanation: Required secrets: Certificate Personal access token Shared Access Authorization token Username and password Storage location: Azure Data Lake Azure Key Vault Azure Storage with HTTP access

Every request made against a storage service must be authorized, unless the request is for a blob or container resource that has been made available for public or signed access. One option for authorizing a request is by using Shared Key.

Azure Storage with HTTPS access

Scenario: The mobile applications must be able to call the share pricing service of the existing retirement fund management system. Until the system is upgraded, the service will only support basic

authentication over HTTPS.

The investment planning applications suite will include one multi-tier web application and two iOS mobile application. One mobile application will be used by employees; the other will be used by customers.

Reference:https://docs.microsoft.com/en-us/rest/api/storageservices/authorize-with-shared-key

Question: 4

To resolve the current technical issue, what should you do to the Register-Azure Rm Automation Dsc Nodecommand?

- A. Change the value of the Configuration Modeparameter.
- B. Replace the Register-Azure Rm Automation Dsc Nodec mdlet with Register-

AzureRmAutomationScheduledRunbook

- C. Add the Allow Module Overwrite parameter.
- D. Add the Default Profile parameter.

Answer: A

Explanation:

Change the ConfigurationMode parameter from ApplyOnly to ApplyAndAutocorrect.

The Register-AzureRmAutomationDscNode cmdlet registers an Azure virtual machine as an APS Desired State Configuration (DSC) node in an Azure Automation account.

Scenario: Current Technical Issue

The test servers are configured correctly when first deployed, but they experience configuration drift over time. Azure AutomationState Configuration fails to correct the configurations.

Azure Automation State Configuration nodes are registered by using the following command.

Register-AzureRmAutomationDscNode

- -ResourceGroupName 'TestResourceGroup'
- -AutomationAccountName 'LitwareAutomationAccount'
- -AzureVMName Symanme
- -ConfigurationMode 'ApplyOnly'

https://www.examsnest.com

Reference: https://docs.microsoft.com/en-us/powershell/module/azurerm.automation/regrazurermautomationdscnode?view=azurermps-6.13.0	ister-
Question: 5	
What should you use to implement the code quality restriction on the release pipeline for the planning applications suite?	e investment
A. a trigger B. a pre deployment approval C. a post-deployment approval D. a deployment gate	
Answ	er: D
Explanation:	



Thank You for trying the PDF Demo

Vendor: Microsoft
Code: AZ-400

Exam: Designing and Implementing Microsoft DevOps Solutions

https://www.examsnest.com/exam/az-400/

Use Coupon "SAVE15" for extra 15% discount on the purchase of Practice Test Software. Test your Exam preparation with actual exam questions.

Start Your Preparation