



ExamsNest

Your Ultimate Exam Preparation Hub

ExamsNest

Your Ultimate Exam Preparation Hub

Vendor: Oracle

Code: 1Z0-580

Exam: Solaris 11 Installation and Configuration Essentials

<https://www.examsnest.com/exam/1z0-580/>

QUESTIONS & ANSWERS

DEMO VERSION

QUESTIONS & ANSWERS
DEMO VERSION
(LIMITED CONTENT)

Question: 1

What information would the "beadm list -ds" command output?

- A. a list of all Bes
- B. a list of the datasets and snapshot information for the active BE
- C. a list of the datasets and snapshot information for all Bes
- D. a list of the default sets
- E. a list of BEs in machine readable format

Answer: C

Explanation:

You can display information about snapshots, boot environments, and datasets that were created by the beadm command by using the beadm list subcommand. The beadm list command output also displays boot environments that are created by the pkg command.

The beadm list command syntax is:

Syntax: beadm list [-a | [-ds] [-H] [BeName]

The command lists information about the existing boot environment. To view information for a specific boot environment, replace BeName with a boot environment name. If a specific boot environment is not specified, the command lists information about all boot environments. The default is to list boot environments without additional information.

-a – Lists all available information about the boot environment. This information includes subordinate datasets and snapshots.

-d – Lists information about all subordinate datasets that belong to the boot environment.

-s – Lists information about the snapshots of the boot environment.

-H – Prevents listing header information. Each field in the output is separated by a semicolon.

Reference: Oracle Solaris 11 Information Library, Listing Existing Boot Environments and Snapshots

Question: 2

What two entries could complete the following command from the directory listing below?

```
(lc) ok setenv network-boot-arguments="DHCP,tftpserver=10.79.200.222,host-
ip=10.79.200.224,file= _____"

root@e1s44-6:~# ls -l
drwxr-xr-x  3 root  root      3  Jul 15  11:23  boot
-rwxr-xr-x  1 root  root    221528  Aug 15 13:16  inetboot.SUN4U.Solaris_10-1
-rwxr-xr-x  1 root  root    220784  Jul  8 2011  inetboot.SUN4V.Solaris_10-1
drwxr-xr-x  4 root  root      5  Nov  7  12:42  media
lrwxrwxrwx  1 root  root      26  Jul 15  11:23  nbp. ->
pxegrub.I86PC.Solaris_10-1
drwxrwx-rw-  2 root  root      2  Jul  8 2011  netboot
-rwxr-xr-x  1 root  root    140144  Jun 30 2011  pxegrub.I86PC.Solaris_10-1
-rwxr-xr-x  1 root  root    137072  Nov  6 13:15  s11grub.i86pc
```

- A. inetboot.SUN4U.Solaris_10-1
- B. inetboot.SUN4V.Solaris_10-1
- C. nbp.
- D. pxegrub.I86PC.Solaris_10-1

E. sllgrub.i86pc

Answer: D, E

Explanation:

As per exhibit these are the two files in the netboot directory.

Note:

*Missing argument is:

file=wanbootCGI-URL

Specifies the URL of the wanboot-cgi program on the web server

* During the installation, WAN boot refers to the contents of the /etc/netboot hierarchy on the web server for instructions about how to perform the installation. This directory contains the configuration information, private key, digital certificate, and certificate authority required for a WAN boot installation. During the installation, the wanboot-cgi program converts this information into the WAN boot file system. The wanboot-cgi program then transmits the WAN boot file system to the client.

Question: 3

A developer wants to use DTrace in a zone to examine the kernel. What are his options?

- A. Modify the zone so that he can use DTrace to examine kernel data structures.
- B. All that's required is to assume the "root" role.
- C. By using dtrace_proc and dtrace_user privileges he can examine his own code, but not the kernel.
- D. By adding ipc_dac_read and ipc_dac_write privileges to the zone.
- E. Change the zone's file-mac-profile from strict to none to enable the use of DTrace within the zone.

Answer: C

Explanation:

How to Use DTrace in a Non-global Zone

1. Use the zonecfg limitpriv property to add the dtrace_proc and dtrace_user privileges.

```
global# zonecfg -z my-zone
```

```
zonecfg:my-zone> set limitpriv="default,dtrace_proc,dtrace_user"
```

```
zonecfg:my-zone> exit
```

Note –

Depending on your requirements, you can add either privilege, or both privileges.

2. Boot the zone.

3. global# zoneadm -z my-zone boot

Log in to the zone.

```
global# zlogin my-zone
```

4. Run the DTrace program.

```
my-zone# dtrace -l
```

Note:

* Oracle Solaris DTrace is a comprehensive, advanced tracing tool for troubleshooting systemic problems in real time.

* DTrace helps you understand a software system by enabling you to dynamically modify the

operating system kernel and user processes to record additional data that you specify at locations of interest, called probes.

Reference: System Administration Guide: Oracle Solaris Containers-Resource Management and Oracle Solaris Zones, Using DTrace in a Non-Global Zone

Question: 4

Your system has two disk devices, c2t0d0 and c2t1d0, and two flash devices, c2t5d0 and c2t8d0. Which command would you use to create a storage pool named "tank," which mirrors the disks and adds the two flash devices as "cache"?

- A. `zpool create tank mirror c2t0d0 c2t1d0 mirror c2t5d0 c2t8d0`
- B. `zpool create tank mirror c2t0d0 c2t1d0 log mirror c2t5d0 c2t8d0`
- C. `zpool c2t0d0 c2t1d0 cache c2t5d0 c2t8d0 mirror`
- D. `zpool create tank mirror c2t0d0 c2t1d0 cache c2t5d0 c2t8d0`
- E. `zpool create tank raidz2 c2t0d0 c2t1d0 c2t5d0 c2t8d0`

Answer: D

Explanation:

Creating a ZFS Storage Pool with Cache Devices

You can create a storage pool with cache devices to cache storage pool data. For example:

```
# zpool create tank mirror c2t0d0 c2t1d0 c2t3d0 cache c2t5d0 c2t8d0
```

Note:

* Creating a Basic Storage Pool

The following command creates a new pool named tank that consists of the disks c1t0d0 and c1t1d0:

```
# zpool status tank
pool: tank
state: ONLINE
scrub: none requested
config:
  NAME                STATE        READ WRITE CKSUM
  tank                ONLINE      0     0     0
  mirror-0            ONLINE      0     0     0
    c2t0d0             ONLINE      0     0     0
    c2t1d0             ONLINE      0     0     0
    c2t3d0             ONLINE      0     0     0
  cache
    c2t5d0             ONLINE      0     0     0
    c2t8d0             ONLINE      0     0     0
errors: No known data errors
```

```
# zpool create tank c1t0d0 c1t1d0
```

These whole disks are found in the `/dev/dsk` directory and are labelled appropriately by ZFS to contain a single, large slice. Data is dynamically striped across both disks.

* Creating a Mirrored Storage Pool

To create a mirrored pool, use the `mirror` keyword, followed by any number of storage devices that will comprise the mirror. Multiple mirrors can be specified by repeating the `mirror` keyword on the command line. The following command creates a pool with two, two-way mirrors:

```
# zpool create tank mirror c1d0 c2d0 mirror c3d0 c4d0
```

Reference: Solaris ZFS Administration Guide, Creating a ZFS Storage Pool with Cache Devices

Question: 5

The "pkg update" command will _____.

- A. update all packages that have updates available including the kernel
- B. update all packages that have updates available excluding the kernel
- C. update only the kernel image
- D. update the global zone packages and non-global zone packages
- E. update all packages and the kernel, and then automatically reboot the system

Answer: A

Explanation:

Updating all of the packages on your installed system – To update all of the packages on your system that have available updates, use the pkg update command, as follows:

pkg update

Running this command updates packages that you might not otherwise consider updating, for example, kernel components and other low-level system packages.

Question: 6

What three items are true with regard to network planning in a Solaris 11 environment?

- A. Hardware and network topology should be planned in advance of installation.
- B. Subnetting needs to be considered when implementing IPv6 networks.
- C. IPv4 and IPv6 network addressing cannot co-exist on the same server.
- D. Solaris 11 enables the use of local files, NIS, DNS, or LDAP for name services.
- E. The physical network topology will determine if you need routers, not all networks require routers.

Answer: A, C, D

Explanation:

The following table lists different tasks for planning the network configuration.

* (A) Identify the hardware requirements of your planned network topology.

Determine the types of equipment that you need for your network site.

*(C) Determine the type of IP addresses to use and obtain registered IP addresses.

Select whether you are deploying a purely IPv4 network, an IPv6 network, or a network that uses both types of IP addresses. Obtain unique IP addresses to communicate to public networks in the Internet.

* (D) Determine a naming scheme to identify the hosts in the network as well as the name service to use.

Create a list of names to assign to the systems on the network and decide whether to use NIS, LDAP, DNS, or the network databases in the local /etc directory.

* If necessary, establish administrative subdivisions and design a strategy for subnets.

Decide if your site requires that you divide your network into subnets to service administrative subdivisions

- * Determine where to place routers in the network design.

If your network is large enough to require routers, create a network topology that supports them.

- * Decide whether to create virtual networks in the overall network configuration scheme.

You might need to create virtual networks within a system to reduce the hardware footprint of your network.

Reference: Oracle Solaris 11 Information Library, Network Planning (Task Map)

Question: 7

To upgrade a system from Oracle Solaris 10 to Oracle Solaris 11, it is necessary to_____.

- A. convert all Oracle Solaris 10 packages to Oracle Solaris 11 packages using IPS
- B. use IPS and Live Upgrade to install all updated software
- C. use IPS to replace the Oracle Solaris 10 kernel with the Oracle Solaris 11 kernel
- D. save user data and perform a new Oracle Solaris 11 install; there is no upgrade method
- E. update Oracle Solaris 10 from an Oracle Solaris 11 repository

Answer: D

Explanation:

There are no upgrade methods or tools available to transition from Oracle Solaris 10 to Oracle Solaris 11. You cannot use an installer to upgrade from Oracle Solaris 10 to Oracle Solaris 11.

Oracle Solaris 11 Transition Tools and Features

Note:

- * There are no upgrade methods or tools available to transition from Oracle Solaris 10 to Oracle Solaris 11. You cannot use an installer to upgrade from Oracle Solaris 10 to Oracle Solaris 11.

/ JumpStart Migration Utility (js2ai)

Used to convert Oracle Solaris 10 JumpStart rules and profiles to a format that is compatible with AI manifest entries.

/ ZFS shadow migration feature

Used to migrate data from an existing file system to a new file system.

/ Oracle Solaris 11 support for Oracle Solaris 10 zones

Used to migrate your Oracle Solaris 10 application environments to an Oracle Solaris 11 system.

/ NFS file sharing and pool migration

Used to access shared files from an Oracle Solaris 10 system on an Oracle Solaris 11 system.

Used to import a ZFS storage pool from an Oracle Solaris 10 system into an Oracle Solaris 11 system.

Reference: Oracle Solaris 11 Information Library, Transitioning Your Oracle Solaris 10 System to Oracle Solaris 11



ExamsNest

Your Ultimate Exam Preparation Hub

Thank You for trying the PDF Demo

Vendor: Oracle

Code: 1Z0-580

Exam: Solaris 11 Installation and Configuration Essentials

<https://www.examsnest.com/exam/1z0-580/>

Use Coupon “**SAVE15**” for extra 15% discount on the purchase of Practice Test Software. Test your Exam preparation with actual exam questions.

Start Your Preparation