

ExamsNest

Your Ultimate Exam Preparation Hub

Vendor: RedHat

Code: EX294

Exam: Red Hat Certified Engineer (RHCE) exam for Red Hat Enterprise Linux 8 Exam

https://www.examsnest.com/exam/ex294/

QUESTIONS & ANSWERS
DEMO VERSION

QUESTIONS & ANSWERS DEMO VERSION (LIMITED CONTENT)

Version: 5.0

Question: 1

Install and configure ansible

User bob has been created on your control node. Give him the appropriate permissions on the control node. Install the necessary packages to run ansible on the control node.

Create a configuration file /home/bob/ansible/ansible.cfg to meet the following requirements:

- The roles path should include /home/bob/ansible/roles, as well as any other path that may be required for the course of the sample exam.
- The inventory file path is /home/bob/ansible/inventory.
- Ansible should be able to manage 10 hosts at a single time.
- Ansible should connect to all managed nodes using the bob user.

Create an inventory file for the following five nodes:

nodel.example.com

node2.example.com

node3.example.com

node4.example.com

node5.example.com

Configure these nodes to be in an inventory file where node1 is a member of group dev. nodc2 is a member of group test, nodc3 is a member of group proxy, nodc4 and node 5 are members of group prod. Also, prod is a member of group webservers.

Answer: See the Explanation for complete Solution below.

Explanation:

In/home/sandy/ansible/ansible.cfg
[defaults]
inventory=/home/sandy/ansible/inventory
roles_path=/home/sandy/ansible/roles
remote_user= sandy
host_key_checking=false
[privilegeescalation]
become=true
become_user=root
become_method=sudo
become_ask_pass=false

In /home/sandy/ansible/inventory
[dev]
node 1 .example.com
[test]
node2.example.com
[proxy]
node3 .example.com
[prod]
node4.example.com
node5 .example.com
[webservers:children]
prod

Question: 2

Create a file called adhoc.sh in /home/sandy/ansible which will use adhoc commands to set up a new repository. The name of the repo will be 'EPEL' the description 'RHEL8' the baseurl is https://dl.fedoraproject.org/pub/epel/epel-release-latest-8.noarch.rmp there is no gpgcheck, but you should enable the repo.

* You should be able to use an bash script using adhoc commands to enable repos. Depending on your lab setup, you may need to make this repo "state=absent" after you pass this task.

Answer: See the Explanation for complete Solution below.

Explanation:
chmod 0777 adhoc.sh
vim adhoc.sh
#I/bin/bash
ansible all -m yum_repository -a 'name=EPEL description=RHEL8
baseurl=https://dl.fedoraproject.org/pub/epel/epel-release-latest-8.noarch.rmp
gpgcheck=no enabled=yes'

Question: 3

Create a file called packages.yml in /home/sandy/ansible to install some packages for the following hosts. On dev, prod and webservers install packages httpd, mod_ssl, and mariadb. On dev only install the development tools package. Also, on dev host update all the packages to the latest.

Answer: See the Explanation for complete Solution below.

Explanation:

Solution as:

- ** NOTE 1 a more acceptable answer is likely 'present' since it's not asking to install the latest state: present
- ** NOTE 2 need to update the development node
- name: update all packages on development node yum:

name: '*'
state: latest

Question: 4

Create a role called sample-apache in /home/sandy/ansible/roles that enables and starts httpd, enables and starts the firewall and allows the webserver service. Create a template called index.html.j2 which creates and serves a message from /var/www/html/index.html Whenever the

content of the file changes, restart the webserver service.

Welcome to [FQDN] on [IP]

Replace the FQDN with the fully qualified domain name and IP with the ip address of the node using ansible facts. Lastly, create a playbook in /home/sandy/ansible/ called apache.yml and use the role to serve the index file on webserver hosts.

Answer: See the Explanation for complete Solution below.

Explanation:

/home/sandy/ansible/apache.yml

```
---
- name: http
hosts: webservers
roles:
- sample-apache
```

/home/sandy/ansible/roles/sample-apache/tasks/main.yml

```
# tasks file for sample-apache
  name: enable httpd
  service:
     name: httpd
     state: started
     enabled: true
  name: enable firewall
  service:
     name: firewalld
     state: started
     enabled: true
  name: firewall http service
  firewalld:
     service: http
     state: enabled
     permanent: yes
     immediate: yes
  name: index
  template:
     src: templates/index.html.j2
     dest: /var/www/html/index.html
  notify:
     – restart
/home/sandy/ansible/roles/sample-apache/templates/index.html.j2
Welcome to {{ansible_fqdn}} {{ansible_default_ipv4.address}}
In /home/sandy/ansible/roles/sample-apache/handlers/main.yml
- name: restart
 service:
    name: httpd
    state: restarted
```

Question: 5

Create a file called requirements.yml in /home/sandy/ansible/roles to install two roles. The source for the first role is geerlingguy.haproxy and geerlingguy.php. Name the first haproxy-role and the second php-role. The roles should be installed in /home/sandy/ansible/roles.

Answer: See the Explanation for complete Solution below.

Explanation:

in /home/sandy/ansible/roles vim requirements.yml

- src: geerlingguy.haproxy name: haproxy-role

src: geerlingguy. php_role

name: php_role

Run the requirements file from the roles directory: ansible-galaxy install -r requirements.yml -p /home/sandy/ansible/roles



Thank You for trying the PDF Demo

Vendor: RedHat
Code: EX294

Exam: Red Hat Certified Engineer (RHCE) exam for Red Hat Enterprise Linux 8 Exam

https://www.examsnest.com/exam/ex294/

Use Coupon "SAVE15" for extra 15% discount on the purchase of Practice Test Software. Test your Exam preparation with actual exam questions.

Start Your Preparation