

ExamsNest

Your Ultimate Exam Preparation Hub

Vendor: VMware Code: 2V0-41.24

Exam: VMware NSX 4.X Professional V2 https://www.examsnest.com/exam/2v0-4124/

QUESTIONS & ANSWERS

DEMO VERSION

QUESTIONS & ANSWERS DEMO VERSION (LIMITED CONTENT)

Version: 4.0

| Question: 1 | |
|---|---------------------------|
| What is the VMware recommended way to deploy a virtual NSX Edge No | ode? |
| A. Through the NSX UI | |
| B. Through automated or interactive mode using an ISO | |
| C. Through the vSphere Web Client | |
| D. Through the OVF command line tool | |
| | Answer: B |
| Explanation: | |
| | |
| VMware recommends deploying a virtual NSX Edge Node using an ISO in interactive mode. This method provides flexibility and ensures that the I properly with all the necessary configurations. Using an ISO allows for a controlled deployment process, especially in larger environments. | NSX Edge node is deployed |
| Question: 2 | |
| Which three selections are capabilities of Network Topology? (Choose the | nree.) |
| A. Display how the different NSX components are interconnected. | |
| B. Display the VMs connected to Segments. | |
| C. Display how the Physical components are interconnected. | |
| D. Display the uplinks configured on the Tier-1 Gateways. | |
| E. Display the uplinks configured on the Tier-0 Gateways. | |
| | Answer: A, B, C |
| Explanation: | |

Display how the different NSX components are interconnected.

Network Topology in NSX provides a visual representation of how different NSX components (like Edge nodes, Logical Routers, and other NSX components) are interconnected.

Display the VMs connected to Segments.

It also allows you to see which VMs are connected to specific segments (logical switches).

Display how the Physical components are interconnected.

The Network Topology view includes information about how physical network components are connected, providing a comprehensive overview of both the virtual and physical networking infrastructure.

Question: 3

An NSX administrator has deployed a single NSX Manager node and will be adding two additional nodes to form a 3-node NSX Management Cluster for a production environment. The administrator will deploy these two additional nodes and Cluster VIP using the NSX UI.

What two are the prerequisites for this configuration? (Choose two.)

- A. The cluster configuration must be completed using API.
- B. All nodes must be in the same subnet.
- C. All nodes must be in separate subnets.
- D. A compute manager must be configured.
- E. NSX Manager must reside on a Windows Server.

Answer: B, D

Explanation:

For a 3-node NSX Manager cluster, all nodes must be within the same subnet to ensure proper communication and functionality between them.

A compute manager must be configured before adding nodes to the cluster, as it provides the necessary integration between the NSX Manager and the underlying virtualization infrastructure (such as vSphere or vCenter).

| Question: 4 | |
|--|----------------------------|
| Which two commands does an NSX administrator use to check the IP add | dress of the VMkernel port |
| for the Geneve protocol on the ESXi transport node? (Choose two.) | |
| A. net-dvs | |
| B. esxcfg-nics -l | |
| C. esxcli network ip interface ipv4 get | |
| D. esxcfg-vmknic -l | |
| E. esxcli network nic list | |
| - - | Answer: C |
| Explanation: | |
| The esxcli network ip interface ipv4 get command is used to display the I the VMkernel network interfaces, including those used for the Geneve p | _ |
| The esxcfg-vmknic -l command lists all VMkernel network interfaces, including which can help identify the VMkernel port for the Geneve protocol. | luding their IP addresses, |
| Question: 5 | |
| Which two are supported by L2 VPN clients? (Choose two.) | |
| A. NSX Autonomous Edge | |
| B. NSX Edge | |
| C. NSX for vSphere Edge | |
| D. 3rd party Hardware VPN Device | |
| - | Answer: B, D |
| Explanation: | |

The NSX Edge supports L2 VPN (Layer 2 VPN) functionality, which allows it to connect different Layer 2 networks over an IP transport.

Third-party hardware VPN devices can also be used as L2 VPN clients, providing connectivity between different Layer 2 networks through an external device.



Thank You for trying the PDF Demo

Vendor: VMware Code: 2V0-41.24

Exam: VMware NSX 4.X Professional V2 https://www.examsnest.com/exam/2v0-4124/

Use Coupon "SAVE15" for extra 15% discount on the purchase of Practice Test Software. Test your Exam preparation with actual exam questions.

Start Your Preparation